KEY WORD INDEX

Acquired immunodeficiency syndrome
Bovine immunodeficiency-like virus; Lymphocyte transformation; Lymphocyte stimulation (Martin, S. J., 81)

Activation
Age; Lymphocyte; Soluble interleukin-2 receptor (Kariv, I., 63)

Activity index
T lymphocyte; E-rosette assay (Sattar, N., 221)

Adjuvant
Melanoma-associated antigen; Anti-idiotypic antibody; $F(ab')_2$ fragment; Immunogenicity (Tassi, V., 39)

Adjuvant
Gonadotropin; Bioefficacy (Alam, A., 53)

Adjuvant
Hepatitis B surface antigen; Vaccine; Inulin; Alum (Cooper, P. D., 131)

Age
Lymphocyte; Activation; Soluble interleukin-2 receptor (Kariv, I., 63)

39-kilodalton Allergen
Lepidoglyphus destructor; Storage mite; Radioallergosorbent test, sandwich, four-step (Ansotegui, I. J., 127)

Alum
Hepatitis B surface antigen; Vaccine; Adjuvant; Inulin (Cooper, P. D., 131)

Anti-idiotypic antibody
Melanoma-associated antigen; $F(ab')_2$ fragment; Adjuvant; Immunogenicity (Tassi, V., 39)

Antibody response
Endogenous antigen; Cytotoxic T lymphocyte; Delayed type hypersensitivity response (Mowat, A. McI., 243)

AP-1
T cell activation; Cyclic AMP; PKC; *jun*; *fos* (Tamir, A., 95)

Autoimmune disorder
Vitiligo; HLA-DR1 (Poloy, A., 59)

B lymphocyte development
Immunodeficiency; Germinal center; VH family (Braun, J., 205)

B lymphomas
T cell; Tac ag; Limiting dilution analysis (Bonnefoix, T., 135)

BCG therapy
LAK cell cytotoxicity; Bladder tumor cell; Cytokine (Wang, M.-H., 191)

Bioefficacy
Adjuvant; Gonadotropin (Alam, A., 53)

Bladder tumor cell
LAK cell cytotoxicity; BCG therapy; Cytokine (Wang, M.-H., 191)

Blocking antibody
Fc receptor II; Rosette formation (Hadley, A. G., 215)

Bovine immunodeficiency-like virus
Acquired immunodeficiency syndrome; AIDS; Lymphocyte transformation; Lymphocyte stimulation (Martin, S. J., 81)

C3/C5 convertase
Protease inhibitor; C5a-des-Arg; C3a-des-Arg; CVF,Bb (Inagi, R., 49)

C3a-des-Arg
C3/C5 convertase; Protease inhibitor; C5a-des-Arg; CVF,Bb (Inagi, R., 49)

C5a-des-Arg
C3/C5 convertase; Protease inhibitor; C3a-des-Arg; CVF,Bb (Inagi, R., 49)

CVF,Bb
C3/C5 convertase; Protease inhibitor; C5a-des-Arg; C3a-des-Arg (Inagi, R., 49)

Calcium ionophore
Interleukin-2; Subunits p55; p70/75; Phorbol myristate acetate; Chronic lymphocytic leukaemia (Mitsui, H., 105)

Candida albicans
Interferon induction; Intraduodenal administration; Gut-associated lymphoid tissue (Paulesu, L., 231)

Cell adhesion
Thymus; Stem cell; T cell progenitor; Lymphocyte migration (O'Neill, H. C., 1)

Cholesterol
Red cell membrane; D(Rh) antigen; Human monoclonal antibody (Hughes-Jones, N. C., 101)

Chronic graft-vs.-host disease (cGVHD)
Peritoneal mast cells; Mast cell activation; Mast cell morphology (Levi-Schaffer, F., 13)

Chronic lymphocytic leukaemia
Interleukin-2; Subunits p55; p70/75; Phorbol myristate acetate; Calcium ionophore (Mitsui, H., 105)

Circular DNA
Splenocyte; Igκ; Igλ; V-J joining (Hirama, T., 19)

Circular DNA
Tumour necrosis factor; Susceptibility; Genome transfer (Kinebuchi, T., 25)

Cisplatin
LAK cell; IL-2; FK-565 (Basu, S., 199)

Conjugate
Variable antigen; Malaria; Peptide; Immunogenicity (Lloyd Jones, G., 209)

Cyclic AMP
T cell activation; PKC; *jun*; AP-1; *fos* (Tamir, A., 95)

Cytokine
Human; T helper cell subset; Mitogen stimulation (Butch, A. W., 85)

Cytokine
LAK cell cytotoxicity; Bladder tumor cell; BCG therapy (Wang, M.-H., 191)
Cytokine
Intracellular pathogen; Macrophage (Denis, M., 237)
Cytokine mRNA induction
Peripheral blood lymphocyte; Interleukin-2; Interleukin-4; T helper cell subset (Kalthoff, F. S., 141)
Cytotoxic T lymphocyte
Endogenous antigen; Antibody response; Delayed type hypersensitivity response (Mowat, A. McI., 243)

D(Rh) antigen
Red cell membrane; Human monoclonal antibody; Cholesterol (Hughes-Jones, N. C., 101)
DNA-specific response
Systemic lupus erythematosus; 16/6 Idiotype (Mendlovic, S., 69)
Delayed type hypersensitivity response
Endogenous antigen; Cytotoxic T lymphocyte; Antibody response (Mowat, A. McI., 243)

E-rosette assay
T lymphocyte; Activity index (Sattar, N., 221)
Embryo
Immunosuppressor factor; Pregnancy; In vitro fertilisation and embryo transfer (Bose, R., 119)
Endogenous antigen
Cytotoxic T lymphocyte; Antibody response; Delayed type hypersensitivity response (Mowat, A. McI., 243)
Endotoxin
Pig; Shock; TNF (Mózes, T., 157)
Enteral feeding
Listeria; Immune response (Chandra, R. K., 45)

$F(ab')_2$ fragment
Melanoma-associated antigen; Anti-idiotypic antibody; Adjuvant; Immunogenicity (Tassi, V., 39)
FK-565
LAK cell; IL-2; Cisplatin (Basu, S., 199)
Fc receptor
(Daëron, M., 175)
Fc receptor II
Rosette formation; Blocking antibody (Hadley, A. G., 215)
FcR
Lectin homology (Hajela, K., 183)
fos
T cell activation; Cyclic AMP; PKC; *jun*; AP-1 (Tamir, A., 95)

Genome transfer
Tumour necrosis factor; Susceptibility; cDNA (Kinebuchi, T., 25)
Germinal center
Immunodeficiency; VH family; B lymphocyte development (Braun, J., 205)
Gonadotropin
Adjuvant; Bioefficacy (Alam, A., 53)
Gut-associated lymphoid tissue
Interferon induction; *Candida albicans*; Intraduodenal administration (Paulesu, L., 231)

HLA-DR1
Vitiligo; Autoimmune disorder (Poloy, A., 59)
Hepatitis B surface antigen
Vaccine; Adjuvant; Inulin; Alum (Cooper, P. D., 131)
Human
Cytokine; T helper cell subset; Mitogen stimulation (Butch, A. W., 85)
Human immunoglobulin pseudo-γ chain gene
Immunoglobulin heavy chain gene; Nucleotide sequence; S region; I region (Kinoshita, K., 151)
Human monoclonal antibody
Red cell membrane; D(Rh) antigen; Cholesterol (Hughes-Jones, N. C., 101)
Hybridoma
Idiotypic network; Idiotype-inducing idiotype (McCullough, K. C., 9)
5-Hydroxytryptamine
Interleukin-1; Tumour necrosis factor; Lipopolysaccharide; Hypoglycaemia; Liver (Endo, Y., 75)
Hypoglycaemia
Interleukin-1; Tumour necrosis factor; Lipopolysaccharide; 5-Hydroxytryptamine; Liver (Endo, Y., 75)

I region
Immunoglobulin heavy chain gene; Human immunoglobulin pseudo-γ chain gene; Nucleotide sequence; S region (Kinoshita, K., 151)
16/6 Idiotype
Systemic lupus erythematosus; DNA-specific response (Mendlovic, S., 69)
Idiotype-inducing idiotype
Idiotypic network; Hybridoma (McCullough, K. C., 9)
Idiotypic network
Idiotype-inducing idiotype; Hybridoma (McCullough, K. C., 9)
Igλ
Splenocyte; Circular DNA; IgK; V-J joining (Hirama, T., 19)
IgE
Soluble FceRII/CD23; Mast cells (Ghaderi, A. A., 113)
Igκ
Splenocyte; Circular DNA; Ig; V-J joining (Hirama, T., 19)
Immune response
Listeria; Enteral feeding (Chandra, R. K., 45)
Immunodeficiency
Germinal center; VH family; B lymphocyte development (Braun, J., 205)
Immunogenicity
Melanoma-associated antigen; Anti-idiotypic antibody; $F(ab')_2$ fragment; Adjuvant (Tassi, V., 39)
Immunogenicity
Variable antigen; Malaria; Peptide; Conjugate (Lloyd Jones, G., 209)
Immunoglobulin heavy chain gene
Human immunoglobulin pseudo-γ chain gene; Nucleotide sequence; S region; I region (Kinoshita, K., 151)
Immunosuppressor factor
Embryo; Pregnancy; In vitro fertilisation and embryo transfer (Bose, R., 119)
In vitro fertilisation and embryo transfer
Immunosuppressor factor; Embryo; Pregnancy (Bose, R., 119)

Interferon induction
Candida albicans; Intraduodenal administration; Gut-associated lymphoid tissue (Paulesu, L., 231)
γ-Interferon
Prostaglandin E2; Protein A; T cell (Kasparian, S. S., 31)
Interleukin-1
Tumour necrosis factor; Lipopolysaccharide; Hypoglycaemia; 5-Hydroxytryptamine; Liver (Endo, Y., 75)
Interleukin-2
Subunits p55; p70/75; Phorbol myristate acetate; Calcium ionophore; Chronic lymphocytic leukaemia (Mitsui, H., 105)
Interleukin-2
Peripheral blood lymphocyte; Interleukin-4; Cytokine mRNA induction; T helper cell subset (Kalthoff, F. S., 141)
Interleukin-2
LAK cell; Cisplatin; FK-565 (Basu, S., 199)
Interleukin-4
Peripheral blood lymphocyte; Interleukin-2; Cytokine mRNA induction; T helper cell subset (Kalthoff, F. S., 141)
Intracellular pathogen
Macrophage; Cytokine (Denis, M., 237)
Intraduodenal administration
Interferon induction; *Candida albicans;* Gut-associated lymphoid tissue (Paulesu, L., 231)
Inulin
Hepatitis B surface antigen; Vaccine; Adjuvant; Alum (Cooper, P. D., 131)

jun
T cell activation; Cyclic AMP; PKC; AP-1; fos (Tamir, A., 95)

LAK cell
IL-2; Cisplatin; FK-565 (Basu, S., 199)
LAK cell cytotoxicity
Bladder tumour cell; BCG therapy; Cytokine (Wang, M.-H., 191)
Lectin homology
FcR (Hajela, K., 183)
Lepidoglyphus destructor
39-kilodalton Allergen; Storage mite; Radioallergosorbent test, sandwich, four-step (Ansotegui, I. J., 127)
Limiting dilution analysis
T cell; Tac ag; B lymphomas (Bonnefoix, T., 135)
Limiting dilution
Streptococcus mutans; Synthetic peptide (Childerstone, A. J., 251)
Lipopolysaccharide
Interleukin-1; Tumour necrosis factor; Hypoglycaemia; 5-Hydroxytryptamine; Liver (Endo, Y., 75)
Listeria
Enteral feeding; Immune response (Chandra, R. K., 45)
Liver
Interleukin-1; Tumour necrosis factor; Lipopolysaccharide; Hypoglycaemia; 5-Hydroxytryptamine (Endo, Y., 75)
Lymphocyte migration
Thymus; Stem cell; T cell progenitor; Cell adhesion (O'Neill, H. C., 1)
Lymphocyte
Age; Activation; Soluble interleukin-2 receptor (Kariv, I., 63)
Lymphocyte transformation
Acquired immunodeficiency syndrome; AIDS; Bovine immunodeficiency-like virus; Lymphocyte stimulation (Martin, S. J., 81)
Lymphocyte stimulation
Acquired immunodeficiency syndrome; AIDS; Bovine immunodeficiency-like virus; Lymphocyte transformation (Martin, S. J., 81)
Lymphocyte stimulation
Metalloproteinase; *Staphylococcus aureus* (Prokešová, L., 225)

Macrophage
Intracellular pathogen; Cytokine (Denis, M., 237)
Malaria
Variable antigen; Peptide; Conjugate; Immunogenicity (Lloyd Jones, G., 209)
Manipulation of immunity in vivo
Skin grafts; Minor histocompatibility differences (Gorczynski, R. M., 163)
Mast cell
IgE; Soluble FceRII/CD23 (Ghaderi, A. A., 113)
Mast cell activation
Chronic graft-vs.-host disease (cGVHD); Peritoneal mast cells; Mast cell morphology (Levi-Schaffer, F., 13)
Mast cell morphology
Chronic graft-vs.-host disease (cGVHD); Peritoneal mast cells; Mast cell activation (Levi-Schaffer, F., 13)
Melanoma-associated antigen
Anti-idiotypic antibody; $F(ab')_2$ fragment; Adjuvant; Immunogenicity (Tassi, V., 39)
Metalloproteinase
Lymphocyte stimulation; *Staphylococcus aureus* (Prokešová, L., 225)
Minor histocompatibility differences
Skin grafts; Manipulation of immunity in vivo (Gorczynski, R. M., 163)
Mitogen stimulation
Human; Cytokine; T helper cell subset (Butch, A. W., 85)

Nucleotide sequence
Immunoglobulin heavy chain gene; Human immunoglobulin pseudo-γ chain gene; S region; I region (Kinoshita, K., 151)

Peptide
Variable antigen; Malaria; Conjugate; Immunogenicity (Lloyd Jones, G., 209)
Peripheral blood lymphocyte
Interleukin-2; Interleukin-4; Cytokine mRNA induction; T helper cell subset (Kalthoff, F. S., 141)
Peritoneal mast cells
Chronic graft-vs.-host disease (cGVHD); Mast cell activation; Mast cell morphology (Levi-Schaffer, F., 13)
Phorbol myristate acetate
Interleukin-2; Subunits p55; p70/75; Calcium ionophore; Chronic lymphocytic leukaemia (Mitsui, H., 105)
Pig
Endotoxin; Shock; TNF (Mózes, T., 157)
PKC
T cell activation; Cyclic AMP; *jun;* AP-1; *fos* (Tamir, A., 95)

Pregnancy
Immunosuppressor factor; Embryo; In vitro fertilisation and embryo transfer (Bose, R., 119)
Prostaglandin E2
γ-Interferon; Protein A; T cell (Kasparian, S. S., 31)
Protease inhibitor
C3/C5 convertase; C5a-des-Arg; C3a-des-Arg; CVF,Bb (Inagi, R., 49)
Protein A
γ-Interferon; Prostaglandin E2; T cell (Kasparian, S. S., 31)
p70/75
Interleukin-2; Subunits p55; Phorbol myristate acetate; Calcium ionophore; Chronic lymphocytic leukaemia (Mitsui, H., 105)

Radioallergosorbent test, sandwich, four-step
Lepidoglyphus destructor; 39-kilodalton Allergen; Storage mite (Ansotegui, I. J., 127)
Red cell membrane
D(Rh) antigen; Human monoclonal antibody; Cholesterol (Hughes-Jones, N. C., 101)
Rosette formation
Fc receptor II; Blocking antibody (Hadley, A. G., 215)

S region
Immunoglobulin heavy chain gene; Human immunoglobulin pseudo-γ chain gene; Nucleotide sequence; I region (Kinoshita, K., 151)
Shock
Endotoxin; Pig; TNF (Mózes, T., 157)
Skin grafts
Minor histocompatibility differences; Manipulation of immunity in vivo (Gorczynski, R. M., 163)
Soluble FceRII/CD23
IgE; Mast cells (Ghaderi, A. A., 113)
Soluble interleukin-2 receptor
Age; Lymphocyte; Activation (Kariv, I., 63)
Splenocyte
Circular DNA; Igκ; Igλ; V-J joining (Hirama, T., 19)
Staphylococcus aureus
Lymphocyte stimulation; Metalloproteinase (Prokešová, L., 225)
Stem cell
Thymus; T cell progenitor; Cell adhesion; Lymphocyte migration (O'Neill, H. C., 1)
Storage mite
Lepidoglyphus destructor; 39-kilodalton Allergen; Radioallergosorbent test, sandwich, four-step (Ansotegui, I. J., 127)
Streptococcus mutans
Limiting dilution; Synthetic peptide (Childerstone, A. J., 251)
Subunits p55
Interleukin-2; p70/75; Phorbol myristate acetate; Calcium ionophore; Chronic lymphocytic leukaemia (Mitsui, H., 105)
Susceptibility
Tumour necrosis factor; Genome transfer; cDNA (Kinebuchi, T., 25)

Synthetic peptide
Limiting dilution; *Streptococcus mutans* (Childerstone, A. J., 251)
Systemic lupus erythematosus
DNA-specific response; 16/6 Idiotype (Mendlovic, S., 69)

T cell
γ-Interferon; Prostaglandin E2; Protein A (Kasparian, S. S., 31)
T cell
Tac ag; Limiting dilution analysis; B lymphomas (Bonnefoix, T., 135)
T cell activation
Cyclic AMP; PKC; *jun*; AP-1; *fos* (Tamir, A., 95)
T cell progenitor
Thymus; Stem cell; Cell adhesion; Lymphocyte migration (O'Neill, H. C., 1)
T helper cell subset
Human; Cytokine; Mitogen stimulation (Butch, A. W., 85)
T helper cell subset
Peripheral blood lymphocyte; Interleukin-2; Interleukin-4; Cytokine mRNA induction (Kalthoff, F. S., 141)
T lymphocyte
E-rosette assay; Activity index (Sattar, N., 221)
TNF
Endotoxin; Pig; Shock (Mózes, T., 157)
Tac ag
T cell; Limiting dilution analysis; B lymphomas (Bonnefoix, T., 135)
Thymus
Stem cell; T cell progenitor; Cell adhesion; Lymphocyte migration (O'Neill, H. C., 1)
Tumour necrosis factor
Susceptibility; Genome transfer; cDNA (Kinebuchi, T., 25)
Tumour necrosis factor
Interleukin-1; Lipopolysaccharide; Hypoglycaemia; 5-Hydroxytryptamine; Liver (Endo, Y., 75)

V-J joining
Splenocyte; Circular DNA; Igκ; Igλ (Hirama, T., 19)
VH family
Immunodeficiency; Germinal center; B lymphocyte development (Braun, J., 205)
Vaccine
Hepatitis B surface antigen; Adjuvant; Inulin; Alum (Cooper, P. D., 131)
Variable antigen
Malaria; Peptide; Conjugate; Immunogenicity (Lloyd Jones, G., 209)
Vitiligo
Autoimmune disorder; HLA-DR1 (Poloy, A., 59)

AUTHOR INDEX

Alam, A., Capoor, A. K. and Rao, L. V., Evaluation of adjuvanticity of promising new synthetic MDP analogues, 53
Anh-Tuan, N., see Pooy, A., 59
Ansotegui, I. J., Härfast, B., Jeddi-Tehrani, M., Johansson, E., Johansson, S.G.O., Van Hage-Hamsten, M. and Wigzell, H., Identification of a new major allergen of 39 kilodaltons of the storage mite *Lepidoglyphus destructor*, 127
Au, B., see Chandra, R. K., 45

Baker, M., see Chandra, R. K., 45
Baran, K., see Prokešová, L., 225
Basch, R. S., Comment on minireview by H. C. O'Neill, 7
Basu, S., Sodhi, A., Singh, S. M. and Suresh, A., Up-regulation of induction of lymphokine (IL-2)-activated killer (LAK) cell activity by FK-565 and cisplatin, 199
Ben-Efraim, S., see Mózes, T., 157
Bilello, J. A., see Martin, S. J., 81
Boccanera, M., see Paulesu, L., 231
Bocci, V., see Paulesu, L., 231
Bonnefoix, T., Claret, E., Piccinni, M.-P., Jacob, M.-C., Zheng, X. and Sotto, J.-J., Impaired clonogenic potential of CD25 positive T cells in lymph nodes involved by B cell non-Hodgkin's lymphomas, 135
Bonta, I. L., see Mózes, T., 157
Bose, R., The partially purified pre-implantation suppressor factor may be one of several factors to play a role in successful pregnancy, 119
Bradley, B. A., see Hadley, A. G., 215
Braun, J., Galbraith, L., Valles-Ayoub, Y. and Saxon, A., Human immunodeficiency resulting from a maturational arrest of germinal center B cells, 205
Brown, D., see Hughes-Jones, N. C., 101
Butch, A. W., Pesando, J., Levine, A. D., McKearn, J. P. and Nahm, M. H., Cytokine production by T helper cell subpopulations during prolonged in vitro stimulation, 85
Butcher, R. N., see McCullough, K. C., 9
Böhle, A., see Wang, M.-H., 191

Capoor, A. K., see Alam, A., 53
Cassone, A., see Paulesu, L., 231
Ceccarini, C., see Tassi, V., 39
Chandra, R. K., Baker, M., Whang, S. and Au, B., Effect of two feeding formulas on immune responses and mortality in mice challenged with *Listeria monocytogenes*, 45
Chen, Y.-Q., see Wang, M.-H., 191
Childerstone, A. J., Rayfield, L. S., Haron, J. A. and Lehner, T., The comparative frequency of human T cells responding to a native antigen and a synthetic peptide derived from *Streptococcus mutans*, 251
Claman, H. N., see Levi-Schaffer, F., 13
Claret, E., see Bonnefoix, T., 135
Cooper, P. D., Turner, R. and McGovern, J., Algammulin (gamma inulin/alum hybrid adjuvant) has greater adjuvanticity than alum for hepatitis B surface antigen in mice, 131

Daëron, M., Fc receptors, or the elective affinities of adhesion molecules, 175
Denis, M. and Gregg, E. O., Identification of cytokines which enhance (CSF-1, IL-3) or restrict (IFN-γ) growth of intramacrophage *Listeria monocytogenes*, 237
Donachie, A. M., see Mowat, A. McI., 243

Eiseman, J. L., see Martin, S. J., 81
Endo, Y., Parallel relationship between the increase in serotonin in the liver and the hypoglycaemia induced in mice by interleukin-1 and tumour necrosis factor, 75

Farid, N. R., see Poloy, A., 59
Ferguson, F., see Kariv, I., 63
Flad, H.-D., see Wang, M.-H., 191
Folkers, K., see Sattar, N., 221
Füst, G., see Poloy, A., 59

Galbraith, L., see Braun, J., 205
Garman, C., see Kariv, I., 63
Ghaderi, A. A., Jones, V. M. and Stanworth, D. R., Affinity-purified soluble FcεRII/CD23 derived from RPMI-8866 cells induces histamine release from human nasal polyp mast cells through a non-IgE-mediated mechanism, 113
Gorczynski, R. M. and Holmes, W., Specific manipulation in vivo of immunity to skin grafts bearing multiple minor histocompatibility differences, 163
Gorick, B. D., see Hughes-Jones, N. C., 101
Gregg, E. O., see Denis, M., 237

Hadley, A. G., Leader, K., Laundy, G., Smith, A., Klauda, P. and Bradley, B. A., A rapid solid-phase rosette-inhibition assay for the detection of Fc receptor (FcRIII)-blocking alloantibodies, 215
Hajela, K., Were lectins primitive Fc receptors?, 183
Hammel, I., see Levi-Schaffer, F., 13
Haron, J. A., see Childerstone, A. J., 251
Hartleb, M., see Sattar, N., 221
Heiligers, J. P. C., see Mózes, T., 157

Hirama, T., Takeshita, S., Yoshida, Y. and Yamagishi, H., Structure of extrachromosomal circular DNAs generated by immunoglobulin light chain gene rearrangements, 19
Holmes, W., see Gorczynski, R. M., 163
Honjo, T., see Kinoshita, K., 151
Hughes-Jones, N. C., Gorick, B. D. and Brown, D., Differential exposure of epitopes on the human red cell antigen D (Rh), 101
Härfast, B., see Ansotegui, I. J., 127

Ikeda, H., see Mitsui, H., 105
Inagi, R., Miyata, T., Maeda, K., Sugiyama, S., Miyama, A. and Nakashima, I., FUT-175 as a potent inhibitor of C5/C3 convertase activity for production of C5a and C3a, 49

Isakov, N., see Tamir, A., 95

Jacob, M.-C., see Bonnefoix, T., 135
Jeddi-Tehrani, M., see Ansotegui, I. J., 127
Johansson, E., see Ansotegui, I. J., 127
Johansson, S. G. O., see Ansotegui, I. J., 127
John, C., see Prokešová, L., 225
Jones, V. M., see Ghaderi, A. A., 113

Kalthoff, F. S., Rossiter, H. and Liehl, E., Differential induction of cytokine-specific mRNA in human PBL after in vitro culture with either IL2 or IL4, 141
Kanakura, Y., see Mitsui, H., 105
Kariv, I., Sharlow, E., Garman, C. and Ferguson, F., Age-related changes in release of soluble interleukin-2 receptor by murine lymphocytes, 63
Kasparian, S. S. and Menezes, J., $CD8^+$ suppressor cells inhibit staphylococcal protein A-induced gamma interferon production by $CD4^+$ lymphocytes, 31
Kinebuchi, T., Nishimura, H. and Yoshida, T., TNF susceptibility-related gene expression, 25
Kinoshita, K., Shimizu, A. and Honjo, T., The membrane exons of the pseudo-γ-chain gene of the human immunoglobulin are apparently functional and highly homologous to those of the γ1 gene, 151
Klauda, P., see Hadley, A. G., 215
Kramer, J., see Poloy, A., 59
Kraszits, E., see Poloy, A., 59

Laundy, G., see Hadley, A. G., 215
Leader, K., see Hadley, A. G., 215
Lehner, T., see Childerstone, A. J., 251
Levi-Schaffer, F., Segal, V., Mekori, Y. A., Claman, H. N. and Hammel, I., Morphological evidence for chronic mast cell activation after prolonged exposure with supernatants from chronic graft-versus-host splenocytes, 13
Levine, A. D., see Butch, A. W., 85
Levy, Y., see Mendlovic, S., 69
Liehl, E., see Kalthoff, F. S., 141
Lloyd Jones, G., Lord, R., Spencer, L. and Saul, A., Comparative immunogenicity of free and carrier-conjugated peptides derived from the constant regions of a polymorphic malarial surface antigen, 209
Lord, R., see Lloyd Jones, G., 209
Lorenzoni, P., see Tassi, V., 39

Maeda, K., see Inagi, R., 49
Martin, S. J., O'Neill, T. P., Bilello, J. A. and Eiseman, J. L., Lymphocyte transformation abnormalities in bovine immunodeficiency-like virus infected calves, 81
Matsumura, I., see Mitsui, H., 105
McCullough, K. C. and Butcher, R. N., Function of idiotypic networks in vivo: immunisation with idiotype-bearing (Id_1) antibody induces further production of Id_1 antibody, 9
McGovern, J., see Cooper, P. D., 131
McKearn, J. P., see Butch, A. W., 85
Medgyessy, I., see Poloy, A., 59
Mekori, Y. A., see Levi-Schaffer, F., 13
Mendlovic, S., Levy, Y. and Mozes, E., Specific proliferative responses following the induction of experimental SLE in mice, 69
Menezes, J., see Kasparian, S. S., 31
Mihelic, M., see Sattar, N., 221
Mitsui, H., Yagura, H., Tamaki, T., Ikeda, H., Matsumura, I., Kanakura, Y., Yonezawa, T. and Tarui, S., High-affinity interleukin 2 receptors on B cell chronic lymphocytic leukemia cells are induced by phorbol myristate acetate but not by calcium ionophore, 105
Miyama, A., see Inagi, R., 49
Miyata, T., see Inagi, R., 49
Mowat, A. McI. and Donachie, A. M., Studies on the immunogenicity of an endogenously processed protein antigen in mice, 243
Mozes, E., see Mendlovic, S., 69
Mózes, T., Ben-Efraim, S., Tak, C. J. A. M., Heiligers, J. P. C., Saxena, P. R. and Bonta, I. L., Serum levels of tumor necrosis factor determine the fatal or non-fatal course of endotoxic shock, 157

Nahm, M. H., see Butch, A. W., 85
Nakashima, I., see Inagi, R., 49
Nicoletti, C., see Paulesu, L., 231
Nishimura, H., see Kinebuchi, T., 25

O'Neill, H. C., Prothymocyte seeding in the thymus, 1
O'Neill, T. P., see Martin, S. J., 81

Paulesu, L., Bocci, V., Pessina, G. P., Nicoletti, C., Boccanera, M. and Cassone, A., Interferon induction in rabbits after intraduodenal administration of a phosphorylated glucomannan-protein fraction of the cell wall of *Candida albicans*, 231
Pesando, J., see Butch, A. W., 85
Pessina, G. P., see Paulesu, L., 231
Piccinni, M.-P., see Bonnefoix, T., 135
Poloy, A., Tibor, L., Kramer, J., Anh-Tuan, N., Kraszits, E., Medgyessy, I., Füst, G., Stenszky, V. and Farid, N. R., HLA-DR1 is associated with vitiligo, 59
Porwit-Bóbr, Z., see Prokešová, L., 225
Pospisil, M., see Prokešová, L., 225
Potempa, J., see Prokešová, L., 225
Prokešová, L., Porwit-Bóbr, Z., Baran, K., Potempa, J.,

Posplsil, M. and John, C., Effect of metalloproteinase from *Staphylococcus aureus* on in vitro stimulation of human lymphocytes, 225

Rao, L. V., see Alam, A., 53
Rayfield, L. S., see Childerstone, A. J., 251
Rosaia, L., see Tassi, V., 39
Rossiter, H., see Kalthoff, F. S., 141
Ruggiero, G., see Tassi, V., 39

Sattar, N., Mihellc, M., Shekhani, M. S., Hartleb, M., Folkers, K. and Voelter, W., A modified E-rosette assay as a semi-empirical tool in search of new T lymphocyte stimulants, 221
Saul, A., see Lloyd Jones, G., 209
Saxena, P. R., see Mózes, T., 157
Saxon, A., see Braun, J., 205
Segal, V., see Levi-Schaffer, F., 13
Sharlow, E., see Kariv, I., 63
Shekhani, M. S., see Sattar, N., 221
Shimizu, A., see Kinoshita, K., 151
Singh, S. M., see Basu, S., 199
Smith, A., see Hadley, A. G., 215
Sodhi, A., see Basu, S., 199
Sotto, J.-J., see Bonnefoix, T., 135
Spencer, L., see Lloyd Jones, G., 209
Stanworth, D. R., see Ghaderi, A. A., 113
Stenszky, V., see Poloy, A., 59
Sugiyama, S., see Inagi, R., 49
Suresh, A., see Basu, S., 199

Tak, C. J. A. M., see Mózes, T., 157
Takeshita, S., see Hirama, T., 19
Tamaki, T., see Mitsui, H., 105
Tamir, A. and Isakov, N., Increased intracellular cyclic AMP levels block PKC-mediated T cell activation by inhibition of c-*jun* transcription, 95
Tarui, S., see Mitsui, H., 105
Tassi, V., Ruggiero, G., Rosaia, L., Lorenzoni, P., Ceccarini, C. and Tecce, M. F., Immunogenicity of anti-idiotypic antibodies and of their $F(ab')_2$ fragments, 39
Tecce, M. F., see Tassi, V., 39
Tibor, L., see Poloy, A., 59
Turner, R., see Cooper, P. D., 131

Ulmer, A. J., see Wang, M.-H., 191

Valles-Ayoub, Y., see Braun, J., 205
Van Hage-Hamsten, M., see Ansotegui, I. J., 127
Voelter, W., see Sattar, N., 221

Wang, M.-H., Flad, H.-D., Böhle, A., Chen, Y.-Q. and Ulmer, A. J., Cellular cytotoxicity of human natural killer cells and lymphokine-activated killer cells against bladder carcinoma cell lines, 191
Whang, S., see Chandra, R. K., 45
Wigzell, H., see Ansotegui, I. J., 127

Yagura, H., see Mitsui, H., 105
Yamagishi, H., see Hirama, T., 19
Yonezawa, T., see Mitsui, H., 105
Yoshida, T., see Kinebuchi, T., 25
Yoshida, Y., see Hirama, T., 19

Zheng, X., see Bonnefoix, T., 135